


Dr. Ward B. Hurlburt, M.D., MPH
Chief Medical Officer
Director, Alaska Division of Public Health

- Priorities/Problems
  - Overweight/Obesity
  - Tobacco Use
  - Immunizations
  - Unintentional Injuries



- Overweight/Obesity
  - Magnitude of the problem
    - More than one third of American adults are obese
    - An additional one third of American adults are overweight
    - These findings continue to get worse each year
    - As many as 40% of Alaska's children are overweight or obese
    - Rates of U. S. childhood overweight and obesity have tripled over the past four decades



# Impacts of complications of overweight/obesity

- JAMA 2003 , CDC Study
  - Estimated lifetime risk of diabetes for females born in 2000 is 38.5%
    - A female diagnosed with diabetes at age 40 loses 14.3 years of average life expectancy
    - Hispanic female lifetime risk is 52.5%
  - Estimated lifetime risk of diabetes for males born in 2000 is 32.8%
    - A male diagnosed with diabetes at age 40 loses 11.6 years of average life expectancy
    - Hispanic male lifetime risk is 45.4%



#### Impacts of complications of overweight/obesity

- Direct medical spending in the U.S. in 2008 on the complications of obesity was \$147 Billion annually
- Direct medical spending in Alaska on the complications of obesity is \$477 Million annually







#### Impacts of complications of overweight/obesity

- Obesity and inactivity cause 365,000 premature deaths a year in the U.S.
  - Diabetes causes 112,000 premature deaths a year in the U.S.
    - > 2009 2010 H1N1 Influenza pandemic caused 1642 deaths in the U.S.
    - > AIDS causes about 15,000 deaths a year in the U.S.



#### Alaska's response – <u>ATCO</u>

- ATCO Alaskan's Taking on Childhood Obesity
- Request for \$1.3 million general fund appropriation for FY 2012 budget year
- Target Alaska's youth, preschool through high school
- Partnership involving DHSS and DEED reaching out to school districts and communities throughout the state









#### Tobacco Use

- Adolescent Smoking rate (age 14-17) = 15.7%
  - Rated 7<sup>th</sup> among 42 states
  - Median US 18.2%

Alaska High-School smoking rate is significantly below the national

average



- Adult Alaskan Smokers
  - Reported 18.8 %
    - Standard and Supplemental BRFSS survey
  - Declined 30% since 1996 (27.7% to 18.8%)
    - 8000 fewer tobacco-related deaths
    - \$300 million in averted health care costs




 CDC ranks Alaska #1 related to population on tobacco prevention and spending

State	Smoking Caused Health Costs 2004 (millions)	Iax⊤	Cigarette Tax Rank (1 = high)	FY 2011 Funding for State TC Programs (millions)	Tobacco Prevention Spending % of CDC Target	Tobacco Prevention Spending Rank <sup>‡</sup> (1 = high)
All States	\$96 bill.	\$1.45	///	\$517.9	14.0%	NAN
Alaska	\$169	\$2.00	11th	\$9.8	92.0%	1



#### Adult Alaska Smokers


- Facts
  - 39.3% Alaska Natives are smokers (AK BRFSS 2009)
  - We are ranked #31 among the 50 states
    - Utah 9.8%
    - California 12.9%
    - Puget Sound 12.5%



- Immunizations
  - Seasonal flu vaccination rates for those 65 years and older
    - Rates best in USA for 2009 -2010 seasonal flu immunization
      - CDC collected data from Oct 2009 Feb 2010 from:
        - Behavioral Risk Factor Surveillance System (BRFSS)
        - National 2009 H1N1 Flu Survey (included question for adults re: whether had also been vaccinated for seasonal flu)
      - Estimated seasonal coverage for all persons aged ≥65 years
        - U.S. 68.0%
        - AK 81.6%
      - AK = highest rate in U.S.



4/3/1/3/3/1\* Immunization Completion Rates, U.S. & Alaska, National Immunization Survey, 2003-2009





<sup>\* 4/3/1/3/3/1 – 4</sup> DTaP/ 3 polio/ 1 MMR/ 3 Hib/ 3 Hep B/ 1 Varicella


<sup>+ 4/3/1/0/3/1/4 - 2009</sup> assessment ADDS pneumococcal vaccine ("4") & EXCLUDES Hib ("0") (vaccine shortage negatively impacted national coverage for Hib)


Estimated Vaccine Coverage for Individual Antigens among Children Aged 19 – 35 Months,


National Immunization Survey, U.S. & Alaska, 2009
























**Motor Vehicle Injury Prevention** 

**Enforcement** 

**Education** 

**Engineering** 




**Highway** Vehicles

**ATVs** 


**Snowmobiles** 




Legislative




Seward Highway Traffic Safety Corridor Fatal & Major Injury Crashes: 1977-2009





- Seat Belt Law Primary May, 2006
  - Use rose 29% between 2002-2008
    - Anchorage 90.2%
- Revised Seat Belt Law
  - Effective September 2009
  - Children under age 8 must be restrained in a booster or car seat
- 54% more children safely restrained





# THANK YOU!!!!

Dr. Ward B. Hurlburt, M.D., MPH

